

# GTK+ 3 Plugins in WebKitGTK+ and Evince Browser Plugin

By *Rianne Schestowitz*

Created 06/08/2014 - 5:19pm

Submitted by Rianne Schestowitz on Wednesday 6th of August 2014 05:19:21 PM Filed under [GNOME](#) [1]

The WebKit2 GTK+ API has always been GTK+ 3 only, but WebKitGTK+ still had a hard dependency on GTK+ 2 because of the plugin process. Some popular browser plugins like flash or Java use GTK+ 2 unconditionally (and it seems they are not going to be ported to GTK+ 3, at least not in the short term). These plugins stopped working in Epiphany when it switched to GTK+ 3 and started to work again when Epiphany moved to WebKit2.

To support GTK+ 2 plugins we had to build the plugin process with GTK+ 2, but also some parts of WebCore and WebKit2 (the ones depending on GTK+ and used by the plugin process) were built twice. As a result we had a WebKitPluginProcess binary of ~40MB, that was always used for all the plugins. This kind of made sense, since there were no plugins using GTK+ 3, and the GTK+ 2 dependency was harmless for plugins not using GTK+ at all. However, we realized we were making a rule for the exception, since most of the plugins don't even use GTK+, and there weren't plugins using GTK+ 3 because they were not supported by any browser (kind of chicken-egg problem).

[2]

[GNOME](#)

---

Source URL: <http://www.tuxmachines.org/node/67985>

Links:

[1] <http://www.tuxmachines.org/taxonomy/term/146>

[2] <http://blogs.igalia.com/carlosgc/2014/08/06/gtk-3-plugins-in-webkitgtk-and-evinced-browser-plugin/>